

# MATERIAL SAFETY DATA SHEET

## Section 1. Chemical product and company identification

**Product Name:** ABC Dry Chemical Fire Extinguishant  
**Synonym:** Multi-purpose Dry Chemical (CH550, F15, F18)  
**Manufacturer:** AMEREX CORPORATION  
**Internet Address:** [www.amerex-fire.com](http://www.amerex-fire.com)  
**Address:** 7595 Gadsden Highway  
 P.O. Box 81  
 Trussville, AL 35173-0081  
**Telephone:** (205) 655-3271  
**Emergency Contacts:** Chemtrec 1(800) 424-9300 or  
 (703) 527-3887  
**Revised:** January, 2015

## Section 2. Hazard identification and emergency overview

**Emergency overview:** Light yellow, fine solid powder, odorless.

**Adverse health effects and symptoms:** Irritating to the respiratory system, eyes and skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

**Exposure guidelines:**

Ingredients	OSHA PEL ****	ACGIH TLV	DFG MAK *
Mono-ammonium phosphate	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>
Ammonium sulphate	PNOC Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>
Mica	6 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	NR
Fullers Earth	PNOC Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>

Silicone oil	NR***	NR	NR
Calcium carbonate	PNOC Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	-----
Amorphous silica	143 mg/m <sup>3</sup> 80 mg/m <sup>3</sup> or    % SiO <sub>2</sub>	10 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>
Yellow 14 pigment	NR	NR	NR

\*German regulatory limits \*\*PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) \*\*\* NR = Not Regulated. All values are 8 hour time weighted average concentrations. \*\*\*\* Total dust PEL for Washington state= 10mg/ m<sup>3</sup> for PNOC

Hazard symbols: WHMIS (Canadian workplace hazardous materials identification system)

D2B Product may irritate eyes, skin, or mucous membranes

### Section 3. Composition/information on ingredients

Name/Compound	Weight %	CAS #
Mono-ammonium phosphate and Ammonium sulphate	>94	7722-76-1 7783-20-2
Fullers Earth magnesium aluminum silicate-	<3	8031-18-3
Mica potassium aluminum silicate	1-2	12001-26-2
Silicone oil methyl hydrogen polysiloxane	<1	63148-57-2
Calcium carbonate	<1	1317-65-3
Amorphous silica precipitated synthetic zeolite	<1	112926-00-8
Yellow 14 pigment – di-azo dye	<1	5468-75-7

### Section 4. First Aid Measures

Eye Exposure: Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops or if vision changes occur.

Skin Exposure: In case of contact, wash with plenty of soap and water. Seek medical attention if irritation develops.

Inhalation: If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if irritation persists.

Ingestion: If victim is conscious and alert, give 2-3 glasses of water to drink and do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical conditions possibly aggravated by exposure: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis (“dusty lung” disease).

---

## Section 5. Fire fighting measures

Extinguishing media: non combustible and non flammable – product is an extinguishing agent.

Unusual fire/explosion hazards: in a fire this material may decompose, releasing oxides of sulfur and carbon (see Section 10).

Insensitive to mechanical impact or static discharge.

HMIS Hazard Ranking:

health = 1, flammability = 0, reactivity = 0, personal protective equipment: ½ mask APR w/HEPA cartridges (see Section 8).

---

## Section 6. Accidental release measures

Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Wear appropriate respiratory protection. Bag and drum for disposal. If product is used and/or contaminated, use PPE and containment appropriate to the nature of the mixture. Prevent material from entering waterways.

## Section 7. Handling and storage

Avoid skin, eye, or respiratory exposure. Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8). Keep product in original container or extinguisher. Contents may be under pressure – inspect for extinguisher rust periodically to insure container integrity. Do not mix with other extinguishing agents.

---

## Section 8. Exposure controls/ personal protection

During the application of this product against fires, exhaust gases and the products of incomplete combustion (PICs) are the principal respiratory hazards. In the manufacture of extinguishers, automated systems and point source ventilation controls sufficiently minimize respiratory exposure. Employers and employees must use their collective judgment in determining occupational settings where the use of a dust mask or air purifying respirator is prudent. The need for respiratory protection is not likely for short-term use in well ventilated areas.

Respiratory protection: use N95 dust mask or air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters.

Eye protection: wear chemical goggles.

Skin protection: use nitrile, latex, or similar gloves and coveralls. Good personal hygiene practices essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

---

## Section 9. Physical and chemical properties

Appearance: yellow powder, finely divided odorless solid.

Specific gravity: ~ .88 in aerated condition

Solubility: product is coated-not immediately soluble in water

Non –flammable

Flash point: none

Vapor pressure: < 1 mm Hg

pH: approximately 4-5

Boiling point: not applicable

No explosive or oxidizing properties

---

## Section 10. Stability and reactivity

Stability: stable

Incompatibles: strong alkalis (bases), magnesium, strong oxidizers such as calcium hypochlorite (pool chlorine) and isocyanuric acids.

Decomposition products: heat of fire may release carbon monoxide, carbon dioxide, and sulfur dioxide. Oxides of phosphorous and ammonia reported.

Possibility of hazardous reactions: Slight. See incompatibilities above.

---

## Section 11. Toxicological information

Acute toxicity: Mono ammonium phosphate LD<sub>50</sub> (rat): > 1000mg/kg body weight  
Ammonium sulfate LD<sub>50</sub> (rat): 2840 mg/kg body weight  
Target organs in man: respiratory system, eyes, skin. This product is an irritant to epithelial tissue, and may aggravate dermatitis. No information was found indicating the product causes sensitization.

Chronic toxicity: Pneumoconiosis, or "dusty lung" disease, may result from chronic exposure to any dust.

Reproductive toxicity: This product's ingredients are not known to have reproductive or teratogenic effects.

---

## Section 12. Ecological information

Ecotoxicity: negative effects unknown. Provides nutrient nitrogen and phosphorus to plant life.

Persistence/  
Degradability: degrades rapidly in humid/wet environment.

Bioaccumulation: extent unknown.

Mobility in soil: slow evaporation rate; water soluble, may leach to groundwater.

---

---

### Section 13. Disposal considerations

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

---

### Section 14. Transportation information

This product is not a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, and is not regulated by the DOT or Transport Canada "Transportation of Dangerous Goods" regulations.

When shipped in a stored pressure type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is Limited Quantity when pressurized to less than 241 psig and when shipped via highway or rail. Use a Non-Flammable Gas label (class 2.2) when shipping via air.

---

### Section 15. Regulatory information

International Inventory Status:

All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

European Risk and Safety phrases:

EU Classification:	Harmful.	
R Phrases:	22	Harmful if swallowed.
	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

Components:

Mono ammonium phosphate:

EU Classification:	Harmful.	
R Phrases:	22	Harmful if swallowed.
	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

Ammonium sulfate:

EU Classification:	Irritant	
R Phrases:	22	Harmful if swallowed.
	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

U.S. federal regulatory information:

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

State regulatory information:

Chemicals in this product are covered under specific State regulations, as denoted below:

**Alaska** - Designated Toxic and Hazardous Substances: None

**California** – Permissible Exposure Limits for Chemical Contaminants: None

**Florida** – Substance List: Mica Dust, Ammonium Sulfate

**Illinois** – Toxic Substance List: None

**Kansas** – Section 302/303 List: None  
**Massachusetts** – Substance List: Mica Dust, Ammonium Sulfate  
**Minnesota** – List of Hazardous Substances: None  
**Missouri** – Employer Information/Toxic Substance List: None  
**New Jersey** – Right to Know Hazardous Substance List: None  
**North Dakota** – List of Hazardous Chemicals, Reportable Quantities: None  
**Pennsylvania** – Hazardous Substance List: None  
**Rhode Island** – Hazardous Substance List: Mica Dust, Ammonium Sulfate  
**Texas** – Hazardous Substance List: No  
**West Virginia** – Hazardous Substance List: None  
**Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

---

## Section 16

When shipped in a stored pressure type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/ division is 2.2 Non-Flammable Gas. Packing Group—N/A

---

## Section 17. Other information

This MSDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by Lindsay R. Hill, CIH.